

Solicitation Number: M8-091004-N

**4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS
DATED JULY 1, 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
95E	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ZERO TRUCK

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TILT CAB	Comply
TRIM LEVEL	Base
MFG. MODEL CODE	ZT-HD
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14500

Cab to Axle

CAB TO AXLE, INCHES	86
---------------------	----

Engine Minimums

HORSEPOWER (min)	100KW
TORQUE (lb ft)	400 lb ft

Alternative Fuel Engines

ELECTRIC BATTERY POWERED VEHICLE	LITHIUM POLYMER
----------------------------------	-----------------

Electrical

CHARGER - ON BOARD BATTERY	comply
----------------------------	--------

Exterior

EXTRA WIDE MIRRORS	Comply
--------------------	--------

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	Comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

TILT STEERING	Comply
AIR CONDITIONING	Comply

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS
DATED JULY 1, 2009**

	POWER STEERING	Comply		
	UPHOLSTERY	Comply		
Floor				
	FLOOR COVERING	COMPLY		
Radio				
	AM/FM RADIO WITH COMPACT DISC PLAYER	Comply		
Seats				
	SEATING CAPACITY min.	3		
	SPLIT FRONT BENCH SEAT	Comply		
Safety				
	POWER ANTILOCK BRAKES, FRONT AND REAR	Comply		
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	Comply		
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	Comply		
Suspension				
	SUSPENSION/SHOCKS	Comply		
Tires and Wheels				
	LOAD RANGE	F		
	SPARE TIRE ASSEMBLY	Comply		
	TIRES	225/70R-19.5		
Vendor Furnished Body Items				
	BODY LENGTH, 12 FT	Comply		
	ROLL-UP REAR DOOR	Comply		
	HEIGHT INTERIOR, 84 IN	Comply		
	WOOD FLOORING	Comply		
	FLAT CARGO FLOOR	Comply		
	FIBERGLASS DELIVERY VAN BODY	Comply		
Warranty				
	BATTERY PACK WARRANTY	3 yr/36,000 mile		
	OEM CORROSION WARRANTY	3 yr/36,000 mile		
	OEM POWERTRAIN WARRANTY	3 yr/36,000 mile		
	OEM COMPREHENSIVE WARRANTY	3 yr/36,000 mile		
	CONTRACTOR COMPREHENSIVE WARRANTY	1yr/12,000 mile		
Optional Equipment		Add Ship	OEM Data	Option Prices
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	\$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Stand Alone	\$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	\$_____
Interior				

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS
DATED JULY 1, 2009**

CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	\$ _____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	Stand Alone	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____

Vendor Furnished Body Items

AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	\$ _____
B14	BODY LENGTH, 14 FT	_____	Stand Alone	\$ _____
B16	BODY LENGTH, 16 FT	_____	Stand Alone	\$ _____
B18	BODY LENGTH, 18 FT	_____	Stand Alone	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Stand Alone	\$ _____
BDK	DOCK BUMPER	_____	Stand Alone	\$ _____
BR	TRANSLUCENT ROOF	_____	Stand Alone	\$ _____
BRT	INTERIOR ROPE TIES	_____	Stand Alone	\$ _____
BSF	SMOOTH STEEL FLOOR	_____	Stand Alone	\$ _____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	\$ _____
CRT	CARGO RESTRAINING TRACK	_____	Stand Alone	\$ _____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	\$ _____
DSH	HINGED SIDE DOOR	_____	Stand Alone	\$ _____
DSR	ROLL UP SIDE DOOR	_____	Stand Alone	\$ _____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Stand Alone	\$ _____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	\$ _____
DVE	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	\$ _____
DVG	DRIVER'S FAN	_____	Stand Alone	\$ _____
HTGR	RAIL TYPE LIFT GATE	_____	Stand Alone	\$ _____
ILF	INTERIOR LINING	_____	Stand Alone	\$ _____
ILH	PARTIAL INTERIOR LINING	_____	Stand Alone	\$ _____
IR4	INSULATION, CARGO BODY	_____	Stand Alone	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
LEDV	BODY EXTERIOR DOT LIGHTING, LED	_____	Stand Alone	\$ _____
RCA	CARGO RAILS	_____	Stand Alone	\$ _____
SSD	SIDE DOOR STEPS	_____	Stand Alone	\$ _____
TLR	LOADING RAMPS	_____	Stand Alone	\$ _____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	\$ _____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N**4X2 CAB FORWARD DRY CARGO VAN, MIN 10,001 LBS GVWR, ELECTRIC IN ACCORDANCE WITH FEDERAL STANDARDS
DATED JULY 1, 2009**

PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____